



PORTABLE LOUDSPEAKERS





LIVE FOR SOUND.

Each member of the award-winning Electro-Voice portable loudspeaker family is designed and engineered in the USA to deliver best-in-class performance across every detail. The components inside every EV loudspeaker are manufactured and tested to the industry's highest standards, to ensure years of superior sound quality and reliability.

EV stands apart from other portable speaker manufacturers because we also build bigger systems for tours, concerts, and events – a pro audio heavyweight with a proven track record on the world stage. Everything we've learned at this most competitive and critical level of the industry is condensed into our portable systems to bring you equally uncompromising performance at a smaller scale. No other equivalently priced speaker will sound as good, work as hard, or last as long.

Whatever the application, there's an EV speaker with a set of features to precisely fit your needs and your budget, from the unbeatable value and power-to-weight ratio offered by ZLX up to the advanced technology of our top-of-the-line ETX series.



THE MOST POWERFUL FAMILY IN PORTABLE SOUND

 Powered

 Passive



ZLX

THE BEST-SELLING PRO AUDIO SPEAKERS IN THE WORLD.

The ZLX series brings class-leading sound quality, power, and overall performance and reliability to a price point that positions them as the best-value lightweight pro audio speakers available today. That's why they've become the new go-to choice across the globe.

Available in 12" and 15" powered and passive versions, ZLX makes it easier than ever to own and experience premium pro audio. Its combination of streamlined industrial design, compact size, user-friendly operation and portability, and plentiful power have made it the go-to choice for monitors and mains in DJ/musician applications such as practice spaces and small clubs, and great for basic installations and portable multi-purpose sound.

ELX

SERIOUS SOUND. SIMPLE SETUP.

Designed for DJs, musicians, and rental companies looking for a speaker equipped with everything you need (and nothing you don't) to get the job done right — and all with the warm sound of wood enclosures — the award-winning ELX series stands alone in its category as a great-value option from a real pro audio brand.

ELX loudspeakers offer top-quality components in remarkably affordable configurations that put the EV-quality experience within reach for artists, engineers, and live-sound businesses. Designed for a wide range of portable sound applications, with straightforward controls for excellent results with ease.



EKK

MAXIMUM SONIC IMPACT, MINIMUM EFFORT.

The newest member of the best-selling EV portable loudspeaker family, EKK makes it easy to optimize the power of your performance, whatever the application, thanks to a range of EV-exclusive, best-in-class features.

EKK combines renowned EV sound quality and reliability with the latest technology — all in a compact package suitable for a wide range of sound reinforcement scenarios, including musicians, DJs and small-to-medium live, club, and installed sound applications. EKK is equipped with professional features not usually found at its price point, making it an incredible value.



ETX

THE FULLY LOADED FLAGSHIP.

Positioned at the highest level of the most powerful family in portable sound, ETX Powered Loudspeakers feature a range of technologies adapted from EV concert and touring systems, setting them apart from the competition.

The series combines intelligent FIR-Drive technology with innovative industrial design to deliver stunning performance and unbeatable versatility in the most demanding applications. EV-engineered components ensure superior sound quality and the utmost reliability. Building upon the legendary heritage of Electro-Voice audio engineering, ETX are designed to be the most advanced professional-grade portable loudspeakers available today.

ZLX
POWERED

THE BEST-SELLING PRO AUDIO
SPEAKERS IN THE WORLD.



ZLX POWERED Loudspeakers

The two powered ZLX models stand apart with the highest level of performance and the most complete and innovative package of features in their class:

- EV-engineered components matched with a 1000-W Class-D amplifier for best-in-class sound.
- Single-knob Quick**Smart**DSP control with LCD display and application and location presets — optimize performance to suit your style and space.
- Input level meters and independent amplifier control — ensure optimal gain structure in seconds.
- Lightweight, super-durable composite construction with unique hi/lo grip design for effortless pole mounting and portability.
- Patented split-baffle design for superior driver time alignment, enhancing audio impact and intelligibility.
- Stunning enclosure design — looks as good as it sounds.

In the case of the ZLX's uncluttered control panel, less really does mean more. Though the multiple dials and switches on other powered loudspeakers may suggest more functionality, ZLX's powerful Quick**Smart**DSP engine is accessed by a clean single-knob design with LCD display, and offers the most precise control and configuration available at its price point. Use the presets to optimize ZLX according to your application (music, live, speech, club) and your location (pole mount, monitor, install) and hear the difference in seconds. ZLX: smarter design, simpler operation, and superior performance to other boxes of a similar size and weight.

CUSTOM-BUILT
1000 W CLASS-D
AMPLIFIER



VISUAL CONTROL
AND MONITORING
WITH PRESETS



12
ZLX-12P
12" TWO-WAY POWERED LOUDSPEAKER

The compact, lightweight ZLX-12P was designed to give you power and performance beyond the scope of other small-format loudspeakers, making it a standout choice for smaller-venue sound reinforcement or stage monitoring. Pound for pound, no other similarly sized composite box comes close.


1000 W (Class-D); 126 dB max
SPL; 50 Hz – 20 kHz

90° x 60° coverage

12" woofer and 1.5" high-frequency
titanium compression driver

34.30 lbs | 15.50 kg

24.02" x 12.02" x 12.02" |
610mm x 356mm x 356mm (H x W x D)



15
ZLX-15P
15" TWO-WAY POWERED LOUDSPEAKER

Extend your low-end with this portable powerhouse. Whether used on its own or with a sub, the ZLX-15P provides crisp, clean highs and tight, deep lows for larger spaces — all with enough amplifier headroom to make sure you're heard both loudly and clearly.

1000 W (Class-D); 127 dB max
SPL; 42 Hz – 20 kHz

90° x 60° coverage

15" woofer and 1.5" high-frequency
titanium compression driver

38.00 lbs | 17.30 kg

26.97" x 16.65" x 15.08" |
685mm x 423mm x 383mm (H x W x D)

ZLX
PASSIVE

THE BEST-SELLING PRO AUDIO
SPEAKERS IN THE WORLD.



ZLX **PASSIVE** Loudspeakers

When choosing a loudspeaker, it's always wise to ask "What's inside the box?" Then take a listen and hear the EV difference for yourself. Featuring custom drivers housed in a breakthrough new cabinet design, the two compact and versatile passive ZLX models make EV's legendary sound quality and rugged reliability more accessible than ever before.

- EV-engineered components for best-in-class sound
- Lightweight, super-durable composite construction with unique hi/lo grip design for effortless pole mounting and portability
- Patented split-baffle design for superior driver time alignment and enhanced sonic impact and intelligibility

UNIQUE HI/LO
GRIP HANDLES
AND LIGHTWEIGHT
CONSTRUCTION

STUNNING
ENCLOSURE
DESIGN



12
ZLX-12
12" TWO-WAY PASSIVE LOUDSPEAKER

Big sound doesn't need to take up a lot of space. Ideal for main loudspeaker or monitor wedge duties, the ZLX-12 offers the ultimate combination of performance and portability — and always looks great on stage.

12" woofer for low-end punch in a compact enclosure and 1.5" high-frequency titanium compression driver

55 Hz – 20 kHz frequency range

90° x 60° coverage

250 W continuous and 1000 W peak power handling

95 dB SPL sensitivity; 125 dB max SPL

32.80 lbs | 14.90 kg

24.02" x 12.02" x 12.02" |
610mm x 356mm x 356mm (H x W x D)



15
ZLX-15
15" TWO-WAY PASSIVE LOUDSPEAKER

The ZLX-15 gives you the confidence of the industry's most trusted components — engineered to exacting standards to bring exceptional EV audio quality for larger applications, with or without a subwoofer.

15" woofer for extended low-frequency response and 1.5" high-frequency titanium compression driver

44 Hz – 20 kHz frequency range

90° x 60° coverage

250 W continuous and 1000 W peak power handling

96 dB SPL sensitivity; 126 dB max SPL

36.50 lbs | 16.60 kg

26.97" x 16.65" x 15.08" |
685mm x 423mm x 383mm (H x W x D)

ELX
POWERED

SERIOUS SOUND. SIMPLE SETUP.



ELX POWERED Loudspeakers

Clear, powerful, and musical, the ELX series was created to command the stage. The series includes three versatile powered wood cabinets — two loudspeakers and a matching subwoofer. Each self-contained system features EV-engineered components optimized for use with integrated high-efficiency amplifiers. These are housed in hardy stackable enclosures of solid wood, making ELX models lighter than comparable-quality composite or plastic boxes and therefore easier to load, transport, and set up.

- 1000 W and 700 W Class-D high-efficiency amplifiers run cool without fans.
- Intuitive, user-friendly controls. Mic and line inputs with combo XLR/1/4" and RCA inputs for versatile mix capabilities. XLR outputs for chaining multiple ELX full-range or subwoofers. Selectable 100 Hz high-pass filter for use with an external subwoofer.
- Electro-Voice-engineered woofers and 1.5" titanium compression drivers provide exceptional audio quality and reliability.
- Lightweight materials, balanced design, and ergonomic handles for convenient transport, set-up, and load-out.
- Stylish-yet-rugged 15-mm plywood construction with textured finish says "serious gear" on any stage.
- Designed to pole-mount or stack with ELX subwoofers.
- Built-in 60-degree monitor angle for 12" & 15" two-way systems.



12
ELX-112P

12" TWO-WAY POWERED LOUDSPEAKER

A compact, powerful, and versatile choice for sound reinforcement and stage monitoring applications — lightweight and durable, with a 1000 W amplifier.

12" woofer and 1.5" high-frequency titanium compression driver

50 Hz – 20 kHz frequency range; 132 dB max SPL

90° x 50° coverage

Lightweight 1000 W Class-D amplifier — runs cool without fans

Easy to connect and control with versatile input and output options

Rugged wood cabinet pole mounts or stacks with ELX subwoofers

37.00 lbs | 16.80 kg

23.90" x 14.25" x 13.39" | 607mm x 362mm x 340mm (H x W x D)



15
ELX-115P

15" TWO-WAY POWERED LOUDSPEAKER

A powerful step up from the ELX-112P, the 15" woofer and 1000 W amplifier in the ELX-115P deliver extended lower frequencies and room-filling volume.

15" woofer and 1.5" high-frequency titanium compression driver

44 Hz – 20 kHz frequency range; 134 dB max SPL

90° x 50° coverage

Lightweight 1000 W Class-D amplifier — runs cool without fans

Easy to connect and control with versatile input and output options

Rugged wood cabinet pole mounts or stacks with ELX subwoofers

49.60 lbs | 22.50 kg

27.87" x 17.01" x 15.04" | 708mm x 432mm x 382mm (H x W x D)



18^{SUB}
ELX-118P

18" POWERED SUBWOOFER

Optimized for performance with the ELX-112P and ELX-115P, the ELX-118P adds a full, deep, low-frequency punch that you can hear and feel.

18" woofer for powerful, engaging bass response

32 Hz – 130 Hz frequency range; 134 dB max SPL

Omnidirectional coverage

700 W Class-D amplifier — runs cool without fans

Rugged wood cabinet supports pole mounted or stacked configurations

69.00 lbs | 31.30 kg

26.02" x 19.96" x 22.60" | 661mm x 507mm x 574mm (H x W x D)

ELX PASSIVE

SERIOUS SOUND. SIMPLE SETUP.



ELX **PASSIVE** Loudspeakers

The ELX series includes four versatile solid wood passive cabinets — three loudspeakers, including a formidable dual-15" configuration, and an acoustically matched 18" subwoofer that supports pole-mounted or stacked configurations.

- Electro-Voice-engineered woofers and 1.5" titanium compression drivers provide exceptional audio quality and reliability.
 - Lightweight materials, balanced design, and ergonomic handles for convenient transport, set-up, and load-out.
 - Stylish-yet-rugged 15-mm plywood construction with textured finish says "serious gear" on any stage.
 - Designed to pole-mount or stack with ELX subwoofers.
 - Built-in 60-degree monitor angle on 12" & 15" two-way system.



12

ELX-112

12" TWO-WAY PASSIVE LOUDSPEAKER

The versatile ELX-112 loudspeaker is a compact, powerful choice with real stage presence, for sound reinforcement and stage monitoring applications.

12" woofer and 1.5" high-frequency titanium compression driver

55 Hz – 20 kHz frequency range

94 dB SPL sensitivity;
132 dB max SPL Half Space

250 W continuous and 1000 W peak power handling

Rugged wood cabinet pole mounts or stacks with ELX subwoofers

35.27 lbs | 16.00 kg

23.90" x 14.25" x 13.39" |
607mm x 362mm x 340mm (H x W x D)



15
ELX-115
15" TWO-WAY PASSIVE LOUDSPEAKER

A powerful step up from the ELX-112, the ELX-115 features a 15" woofer that delivers extended low-frequency response for bigger sound in larger rooms.

15" woofer and 1.5" high-frequency titanium compression driver

50 Hz – 20 kHz frequency range

95 dB SPL sensitivity;
134 dB max SPL Half Space

400 W continuous and 1600 W peak power handling

Rugged wood cabinet s or stacks with ELX subwoofers

48.28 lbs | 21.90 kg

27.87" x 17.01" x 15.04" |
708mm x 432mm x 382mm (H x W x D)



15 DUAL 15
ELX-215
DUAL 15" TWO-WAY PASSIVE LOUDSPEAKER

This dual-woofer configuration delivers real low end punch — ideal for applications that demand high volume output and an ultra-wide frequency response from a single cabinet.

Dual 15" woofers and 1.5" high-frequency titanium compression driver

38 Hz – 20 kHz frequency range

96 dB SPL sensitivity;
137 dB max SPL

600 W continuous and 2400 W peak power handling

Rugged wood cabinet creates serious stage presence

89.73 lbs | 40.70 kg

45.43" x 17.01" x 19.72" |
1154mm x 432mm x 501mm (H x W x D)



18 SUB
ELX-118
18" PASSIVE SUBWOOFER

Optimized for performance with the ELX-112 and ELX-115, the ELX-118 adds a full, deep, low-frequency punch that you can hear and feel.

18" woofer provides extended low-frequency output

35 Hz – 200 Hz frequency range

96 dB SPL sensitivity;
134 dB max SPL

400 W continuous and 1600 W peak power handling

Rugged wood cabinet supports pole mounted or stacked configurations

67.46 lbs | 30.60 kg

26.02" x 19.96" x 22.60" |
661mm x 507mm x 574mm (H x W x D)

EKX
POWERED

MAXIMUM SONIC IMPACT,
MINIMUM EFFORT.



EKX POWERED Loudspeakers

Designed to offer superior all-around performance to other models currently available in its category, the EKX series includes eight models (four powered and four passive), including 12" and 15" two-way models and 15" and 18" subwoofers.

EV-engineered components — including next-generation transducers, Signal Synchronized Transducers™ (SST) waveguide design, and high-efficiency Class-D amplifiers coupled with single-knob Quick**Smart**DSP control with LCD — all work together to provide you with exceptional sound quality and precise coverage at high SPLs. EV's award-winning industrial design — with robust wood enclosures and durable EVCoat finish — ensures that EKX speakers look as great as they sound.

EV ENGINEERING
AND INNOVATION
WORKING TOGETHER
FOR MAXIMUM
SONIC IMPACT.



EKK KEY FEATURES:

- **QuickSmartDSP** features best-in-class processing, EV's signature single-knob user interface, and intuitive menu navigation via LCD. Easy setup via four presets (Music, Live, Speech*, Club), sub/top system-match crossovers, three-band EQ*, five user-programmable presets (Store and Recall settings), visual monitoring of limiter status, input level control* and meters, and master volume control to ensure optimal gain structure (* full-range models only). EV-exclusive Cardioid Control Technology feature for subwoofers allows output to be steered towards the audience with up to 35 dB reduction on stage when multiple subs are deployed. (powered models only)
- **High-efficiency Class-D power amplifiers** (up to 1500 W) deliver up to 134 dB peak SPL via high-sensitivity transducers designed and engineered by EV. (powered models only)
- **Intelligent thermal management** with a variable-speed fan controlled by multiple onboard sensors, ensuring superior performance and reliability in demanding environmental conditions. (powered models only)
- **EV-patented Signal Synchronized Transducers™ (SST) waveguide design** on full-range models provides precise and consistent coverage.
- **Ideal for portable and installed applications.** Lightweight, compact 15-mm wood enclosures with internal bracing, durable EVCoat finish, eight M10 threaded mounting points (full-range models), aluminum pole-mounts, and all-metal handles. Subs feature large slot ports for low distortion and excellent bass extension, and are equipped with a metal grille reinforcement bar.

MAXIMUM SONIC IMPACT,
MINIMUM EFFORT.



12
EKX-12P
12" TWO-WAY POWERED LOUDSPEAKER



15
EKX-15P
15" TWO-WAY POWERED LOUDSPEAKER

Quick**Smart**DSP features best-in-class processing, EV's signature single-knob user interface, and intuitive menu navigation via LCD.

High-efficiency 1500 W Class-D power amplifier delivers **up to 132 dB peak SPL on the EKX-12P** and **up to 134 dB peak SPL on the EKX-15P** via high-sensitivity transducers designed and engineered by EV.

Intelligent thermal management with a variable-speed fan controlled by multiple onboard sensors, ensuring superior performance and reliability in demanding environmental conditions.

EV-patented Signal Synchronized Transducers™ (SST) waveguide design provides precise and consistent coverage.

Lightweight, compact 15-mm wood enclosure with internal bracing, durable EVCoat finish, eight M10 threaded mounting points, aluminum pole mounts, and all-metal handles.

50 Hz – 20 kHz frequency range;
132 dB max SPL

90° x 60° coverage

41.40 lbs | 18.80 kg

23.90" x 14.76" x 14.02" |
607mm x 375mm x 356mm (H x W x D)

48 Hz – 20 kHz frequency range;
134 dB max SPL

90° x 60° coverage

53.90 lbs | 24.40 kg

26.97" x 17.01" x 16.89" |
685mm x 432mm x 429mm (H x W x D)



15^{SUB}
EKX-15SP
 15" POWERED SUBWOOFER



18^{SUB}
EKX-18SP
 18" POWERED SUBWOOFER

Quick**Smart**DSP features best-in-class processing, EV's signature single-knob user interface, and intuitive menu navigation via LCD.

Cardioid Control Technology allows output to be steered towards the audience with up to 35 dB reduction on stage when multiple subs are deployed.

High-efficiency 1300 W Class-D power amplifier delivers **up to 133 dB peak SPL on the EKX-15SP** and **up to 134 dB peak SPL on the EKX-18SP** utilizing high-sensitivity transducers designed and engineered by EV.

Intelligent thermal management with a variable-speed fan controlled by multiple onboard sensors, ensuring superior performance and reliability in demanding environmental conditions.

Two XLR outputs for easy system expansion to additional loudspeakers or subwoofers. Large slot ports for low distortion and excellent bass extension. Metal grille reinforcement bar (one on EKX-15SP, two on the 18SP). M20 threaded pole mount plate.

48 Hz – 180 Hz frequency range;
 133 dB max SPL

35 Hz – 180 Hz frequency range;
 134 dB max SPL

57.70 lbs | 26.20 kg

72.40 lbs | 32.80 kg

17.91" x 20.87" x 21.69" |
 455mm x 530mm x 551mm (H x W x D)

20.47" x 23.86" x 24.09" |
 520mm x 606mm x 612mm (H x W x D)

MAXIMUM SONIC IMPACT,
MINIMUM EFFORT.



PASSIVE EKX Models

Passive EKX models deliver up to 134 dB peak SPL utilizing high-sensitivity transducers designed and engineered by EV (12" EVS-12M woofer/ 15" EVS-15M woofer, each coupled with a 1" DH-1M HF titanium compression driver; 15" EVS-15C subwoofer/18" EVS-18C subwoofer).

EKX passive models are ideal for portable and installed applications, with lightweight and compact 15-mm wood enclosures with internal bracing, durable EVCoat finish, eight M10 threaded mounting points (full-range models only), aluminum pole mounts, and all-metal handles.

12 EKX-12

12" TWO-WAY PASSIVE LOUDSPEAKER

55 Hz – 20 kHz frequency range

1400 W (peak), 131 dB peak SPL utilizing high-sensitivity transducers designed and engineered by EV.

EV-patented Signal Synchronized Transducers™ (SST) waveguide design provides precise and consistent coverage.

Lightweight, compact 15-mm wood enclosure with internal bracing, and durable EVCoat finish.

Eight M10 threaded mounting points, aluminum pole mounts, and all-metal handles.

90° x 60° pattern for best coverage on mid-size stages. 40° monitor angle with rubber feet.

38.30 lbs | 17.40 kg

23.90" x 14.76" x 14.02" |
607mm x 375mm x 356mm (H x W x D)



15
EKX-15
15" TWO-WAY PASSIVE LOUDSPEAKER



15 SUB
EKX-15S
15" PASSIVE SUBWOOFER



18 SUB
EKX-18S
18" PASSIVE SUBWOOFER

50 Hz – 20 kHz frequency range

1600 W (peak), 132 dB peak SPL utilizing high-sensitivity transducers designed and engineered by EV.

EV-patented Signal Synchronized Transducers™ (SST) waveguide design provides precise and consistent coverage.

Lightweight, compact 15-mm wood enclosure with internal bracing, and durable EVCoat finish.

Eight M10 threaded mounting points, aluminum pole mounts, and all-metal handles.

90° x 60° pattern for best coverage on mid-size stages. 40° monitor angle with rubber feet.

51.20 lbs | 23.20 kg

26.97" x 17.01" x 16.89" |
685mm x 432mm x 429mm (H x W x D)

15S: 40 Hz – 300 Hz frequency range

1600 W (peak), **133 dB peak SPL on the EKX-15S** and **134 dB SPL on the EKX-18S** utilizing high-sensitivity transducers designed and engineered by EV.

Lightweight, compact 15-mm wood enclosure with internal bracing, and durable EVCoat finish.

Large slot ports for low distortion and excellent bass extension.

Metal grille reinforcement bar (one on EKX-15S, two on the EKX-18S).

M20 threaded pole mount plate.

15S: 55.00 lbs | 24.90 kg

15S: 17.91" x 20.87" x 21.69"
455mm x 530mm x 551mm (H x W x D)

18S: 35 Hz – 300 Hz frequency range

18S: 70.00 lbs | 31.80 kg

18S: 20.47" x 23.86" x 24.09"
520mm x 606mm x 612mm (H x W x D)

ETX
POWERED

THE FULLY LOADED FLAGSHIP.




ETX **POWERED** Loudspeakers

ETX Powered Loudspeakers are the top-of-the-line members of the EV portable sound family. They are engineered from the ground up to be the highest-specification products in their class, designed to deliver an uncompromising combination of advanced audio performance and all-around versatility.

Six models are available (10", 12", 15" 2-way; 15" 3-way; 15" & 18" sub), each fully equipped for equally spectacular results across a wide range of applications. They are ideal for pro musicians, DJs, mobile entertainers, and rental companies looking for high-end compact sound reinforcement, and will ensure concert quality finesse in small-to-medium permanent installations. Each model provides sound quality, power, and features beyond the reach of other similarly sized professional-grade powered speakers — tour-quality sound in a tidy, easy-to-use package.



Developed using the latest engineering software, industrial design, and manufacturing processes, the series brings real innovation to multi-purpose loudspeaker design, all backed up by nearly 90 years of unmatched pro-audio know-how: EV-engineered high-efficiency transducers, high-powered Class-D amplifiers, Signal Synchronized Transducers (SST) waveguide design, powerful and intuitive Quick**Smart**DSP, and multiple on-board performance optimization and protection features — all packaged in low-profile tour-grade wood enclosures, all working together to provide peerless EV sound quality and precise coverage at the highest SPLs.



Performance beyond the reach of the competition

- **State-of-the-art components** deliver breathtaking sonic power and clarity and maximum reliability: 1800 W (subs) & 2000 W (full-range) Class-D power amplifiers with integrated DSP produce high SPLs utilizing high-sensitivity, low-distortion transducers (including DVX & SMX series woofers and precision DH3-B HF titanium compression drivers).
- **Lightweight, ergonomic, durable, and compact** 18-mm, 13-ply birch plywood enclosures finished with EVCoat. Eight mounting points for permanent installations (full-range models). Custom die-cast aluminum pole cups, handles and hardware.

Intelligent technology, innovative design

- **EV's FIR-Drive** utilizes the latest Finite Impulse Response (FIR) filter technology to optimize transducer linearity. Advanced limiter algorithms provide independent peak and thermal transducer protection.
- **Complete full-function QuickSmartDSP** control via a single-knob interface. LCD screen for easy system set-up and monitoring: location/application EQ presets (e.g. tripod, mounted, suspended, live, music, speech), limiter status, delay settings, input level controls/meters and master volume control to ensure optimal gain structure. Parametric EQ allows for more precise configuration. EV-exclusive Cardioid Control Technology feature for subwoofers allows output to be steered towards the audience with up to 35 dB reduction on stage when multiple subs are deployed.
- **EV-patented Signal Synchronized Transducers (SST)** waveguide design provides precise and consistent coverage across all system configurations. Waveguides are custom-designed and optimized per model.



10
ETX-10P
10" TWO-WAY POWERED LOUDSPEAKER

10" LF SMX woofer

1.25" HF titanium compression driver

2000 W Class-D power amplifier
with integrated FIR-Drive DSP

65 Hz – 20 kHz frequency range;
134 dB peak SPL

90° x 60° coverage

44.80 lbs | 20.30 kg

20.71" x 12.99" x 14.37" |
526mm x 330mm x 365mm (H x W x D)



12
ETX-12P
12" TWO-WAY POWERED LOUDSPEAKER

12" LF SMX woofer

1.25" HF titanium compression driver

2000 W Class-D power amplifier
with integrated FIR-Drive DSP

43 Hz – 20 kHz frequency range;
135 dB peak SPL

90° x 60° coverage

52.00 lbs | 23.60 kg

24.13" x 15.00" x 15.75" |
613mm x 381mm x 400mm (H x W x D)



15
ETX-15P
15" TWO-WAY POWERED LOUDSPEAKER

15" LF SMX woofer

1.25" HF titanium compression driver

2000 W Class-D power amplifier
with integrated FIR-Drive DSP

40 Hz – 20 kHz frequency range;
135 dB peak SPL

90° x 60° coverage

61.10 lbs | 27.70 kg

27.20" x 16.97" x 17.60" |
691mm x 431mm x 447mm (H x W x D)



35
ETX-35P

15" THREE-WAY POWERED LOUDSPEAKER

15" LF SMX woofer

6.5" MF driver

1.25" HF titanium
compression driver

2000 W Class-D power amplifier
with integrated FIR-Drive DSP

38 Hz – 20 kHz frequency range;
136 dB peak SPL

60° x 40° coverage

84.20 lbs | 38.20 kg

40.28" x 18.46" x 16.77" |
1023mm x 469mm x 426mm (H x W x D)



15^{SUB}
ETX-15SP

15" POWERED SUBWOOFER

15" DVX woofer for
maximum punch

1800 W Class-D power amplifier
with integrated FIR-Drive DSP

32 Hz – 180 Hz frequency range;
134 dB peak SPL

Special DSP preset for true
cardioid performance across the
full operating bandwidth

Combo pole cup (insert and threaded) for
use with full-range models

Removable casters

91.90 lbs | 41.70 kg

18.54" x 22.68" x 32.48" |
471mm x 576mm x 825mm (H x W x D)



18^{SUB}
ETX-18SP

18" POWERED SUBWOOFER

18" DVX woofer for extended
low-frequency response

1800 W Class-D power amplifier
with integrated FIR-Drive DSP

28 Hz – 180 Hz frequency range;
135 dB peak SPL


Special DSP preset for true
cardioid performance across the
full operating bandwidth

Combo pole cup (insert and threaded) for
use with full-range models

Removable casters

114.20 lbs | 51.80 kg

21.65" x 26.57" x 35.83" |
550mm x 576mm x 910mm (H x W x D)



NORTH AMERICA GLOBAL HQ
Bosch Security Systems, Inc.
Burnsville, MN
+1-952-884-4051