

EB-Z10000U



DATASHEET



Epson's first 10,000 lumen WUXGA resolution large venue projector, the EB-Z10000U is simple to set-up and benefits from 3LCD technology.

With 10,000 lumens brightness and WUXGA resolution, the white EB-Z10000U is an impressive and versatile installation projector. Able to project portrait aspect images for digital signage, the EB-Z10000U has a flexible installation angle, lens shift for off-centre positioning and plenty of calibration options, with optional Wi-Fi and HDBaseT connectivity.

Clear images and 3LCD technology

At 10,000 lumens the EB-Z10000U is Epson's brightest WUXGA resolution projector yet. This projector benefits from Epson's 3LCD technology, which ensures high-quality images with equally high White and Colour Light Output for vivid colours and bright images, even in daylight, and three times brighter colours than competitive projectors¹.

Perfect for large venues

Museums, auditoriums and corporate environments can benefit from the EB-Z10000U's large projected image, ideal for making a big impact.

Portrait projection

Able to project portrait aspect images, the EB-Z10000U is ideal for digital signage. Welcome to a whole new way of seeing things; portrait mode is also useful when a venue or event, such a fashion show, doesn't lend itself to landscape projection.

Easy set-up

As well as a flexible installation angle and lens shift for off-centre positioning, the EB-Z10000U includes plenty of calibration options such as edge blending, test patterns, frame interpolation and Epson's Super Resolution feature.



KEY FEATURES

- **High-brightness**
Epson's brightest WUXGA resolution projector yet
- **Flexible**
Choose different installation angles
- **3LCD technology**
For vivid colours and bright images
- **Connectivity**
HDBaseT and optional Wi-Fi connectivity
- **Portrait projection**
When landscape isn't suitable



EPSON
WORLD LEADER
IN PROJECTORS

Source: Futuresource Consulting Ltd.

EPSON®
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	1,03 inch with C2 Fine

IMAGE

Colour Light Output	10.000 lumen- 6.600 lumen (economy)
White Light Output	10.000 lumen - 6.600 lumen (economy)
Portrait Colour Light Output	7.500 lm
Portrait White Light Output	7.500 lm
Resolution	WUXGA, 1920 x 1200, 16:10
Contrast Ratio	15.000 : 1
Lamp	380 W, 2.000 h durability, 4.000 h durability (economy mode)
Lamp (portrait mode)	304 W, 1.000 Hours Durability
Keystone Correction	Manual vertical: $\pm 30^\circ$, Manual horizontal $\pm 30^\circ$
Aspect Ratio	16:10
Colour Processing	10 Bits
2D Vertical Refresh Rate	50 Hz - 85 Hz

OPTICAL

Projection Ratio	1,57 - 2,56:1
Zoom	Motorized, Factor: 1 - 1,61
Lens Shift	Motorized - Vertical $\pm 60\%$, horizontal $\pm 18\%$
Image Size	60 inches - 500 inches
Projection Lens F Number	1,65 - 2,51
Focal Distance	36 mm - 57,5 mm
Focus	Motorized
Projection Distance Wide	2 m - 17,2 m
Projection Distance Tele	3,3 m - 27,8 m
Lens	Optical

CONNECTIVITY

Interfaces	USB 1.1 Type A, USB 2.0 Type B (Service Only), RS-232C, WLAN, VGA in, VGA out, DVI in, HDMI in, Composite in, Component in, BNC in (6x), S-Video in, HDBaseT, HD-SDI
------------	--

GENERAL

Energy Use	1.060 W, 788 W (economy), 0,37 W (standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	741 x 534 x 197 mm (Width x Depth x Height)
Product weight	26 kg
Noise Level	Normal: 40 dB (A) - Economy: 35 dB (A)
Temperature	Storage -10° C - 60° C
Humidity	Operation 20% - 80%, Storage 10% - 90%
Included Software	EasyMP Monitor, EasyMP Multi PC Projection, EasyMP Network Projection
Options	Document camera

ADVANCED FEATURES

Security	Kensington lock, Security cable hole
Video Colour Modes	Dynamic, Photo, Presentation, sRGB, Theatre, DICOM SIM

OTHER

Warranty	36 months Carry in or 20.000 h, Lamp: 12 months or 1.000 h (whichever comes first) Optional warranty extension available
----------	---

EB-Z10000U

WHAT'S IN THE BOX

- VGA cable
- HDMI Cable Clamp
- Power cable
- Remote control incl. batteries
- User's Manual Set

OPTIONAL ACCESSORIES

- Lamp - ELPLP81
V13H010L81
- Quick Wireless Connect USB key - ELPAP09
V12H005M09
- Ceiling Mount (Low) - ELPMB25
V12H003B25
- Ceiling Mount (High) - ELPMB26
V12H003B26
- HDBaseT Transmitter - ELPHD01
V12H547040
- 3D Polarizer - ELPLL01
V12H618A01
- 3D Glasses (Passive for Child, x5) - ELPGS02B
V12H541B10
- Lamp (x2) - ELPLP82
V13H010L82
- Lamp (Portrait, x1) - ELPLP83
V13H010L83

EB-Z10000U

OPTIONAL LENSES

- Lens (Long Throw) - ELPLL07
V12H004L07
- Lens (Middle Throw 1) - ELPLM06
V12H004M06
- Lens (Middle Throw 2) - ELPLM07
V12H004M07
- Lens (Rear Wide) - ELPLR04
V12H004R04
- Lens (ST Off Axis) - ELPLU02
V12H004U02
- Lens (Wide) - ELPLW04
V12H004W04

LOGISTICS INFORMATION

SKU	V11H610040
EAN code	8715946541280
Multiple Order Quantity	1 Units
Country of Origin	China
Pallet Size Euro	4 Units

Epson Deutschland GmbH
Otto-Hahn-Str. 4
D-40670 Meerbusch
Info-Line: 02159 92 79 500
Telefax: +49 (0) 2159/538-3000
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

1. Compared to leading 1-chip DLP business and education projectors based on NPD data, July 2011 through June 2012. Colour brightness (Colour Light Output) measured in accordance with IDMS 15.4. Colour brightness will vary depending on usage conditions. For more information please visit www.epson.eu/CLO

EPSON®